



www.gorillaladders.com.au

Contents

Who are we?	3
Product features	4
Choosing your ladder	6
Safe use of your ladder	7
Single Sided Step Ladders	8
Double Sided Step Ladders	11
Dual Purpose Ladders	14
Platform Ladders	16
Single Builders Ladders	23
Extension Ladders	24
Order Picking Ladders	26
General Purpose Ladders	27
Work Platforms	31
Scaffold	33
Props	
Uni-Props	35
Formwork Props	36
Multi-Props	38
Height Safety	41
Ladder Spare Part Packs	46
Accessories	47
Apparel	53

Contact Information

56

Who are we?

Gorilla manufactures the highest quality products available, representing outstanding value across a broad range of applications.

Gorilla ladders are manufactured in the largest ladder manufacturing plant in the world, to Australian & New Zealand Standards. All Gorilla research and development is conducted in Australia, with designs tested and modified in Australia & New Zealand.

Gorilla manufactures a range of patented products, including the Gorilla Stabiliser and Gorilla Brace which can increase ladder safety. Unique products such as the telescoping aluminium plank and Gorilla Bumpers are all part of the dynamic range that Gorilla is proud to bring to market.

Images used across the catalogue may differ from actual product due to changes in specification which occur from time to time. Ladder specifications are believed to be correct at time of printing and subject to change without notice.

Product Features

Top Cap Organiser Featured on Pro-Lite® and Heavy Duty 180kg single sided ladders.



Anti-Slip Treads Minimises slipping. Featured on all Gorilla ladder designs.



Resin Bracing System Patented resin brace on most Heavy Duty 180kg Industrial models.



Roll Locked D-Shaped Rungs Featured on Industrial extension ladders for added strength and durability.



Stabiliser Mounting

Factory produced mounting holes allow for easy fitting of stabiliser. Mounting holes on most Gorilla ladders 1.8m and over.



Internal Spreader

Packs away to prevent fouling. Featured on Heavy Duty 180kg Industrial models



Non-Slip Heavy Duty Platform

Large non-slip platform surface for added safety when working at heights. Platform featured on Gorilla platform ladders.



Handrail

Heavy duty aluminium handrail fitted to all Gorilla Heavy Duty platform ladders (positioned 900mm from platform). Accessories available (sold separately).



Choosing your ladder

Step Ladder

Choose a ladder 0.6m shorter than the height you wish to reach

Some examples:

Height to reach	Ladder height
1.8m	1.2m ladder
2.4m	1.8m ladder
3.0m	2.4m ladder




Extension Ladder

Choose a ladder 1.0m longer than the height you wish to reach

Some Examples:

Height to reach	Ladder height
2.4m	3.4m ladder min
3.7m	4.7m ladder min
5.0m	6.0m ladder min



Aluminium or Fibreglass?

As a general rule, fibreglass ladders are recommended and in most cases mandatory when working in an electrical environment. A fibreglass ladder provides isolation between the user and earth, reducing (but not eliminating) the risk of electrocution.

Aluminium ladders provide little electrical isolation for users, and are therefore not recommended for use in electrical environments.

Aluminium ladders are lighter than fibreglass, and are perfect for use in all non-electrical environments.

Safe use of your ladder

ALWAYS inspect your ladder for damage prior to use – **DO NOT** use any ladder which is damaged.

ALWAYS be aware of your environment before setting up – check for hazards such as power cables, moving vehicles and doors.

ALWAYS wear appropriate, fully-enclosed footwear

ALWAYS face the ladder when ascending/ descending.

ALWAYS read ALL instructions present on ladder before use.

NEVER leave your ladder unattended – children may ascend and fall.

Step Ladders

ALWAYS use in the fully open position, with spreader mechanisms engaged.

NEVER stand on the top step.

ALWAYS keep body centred within the stiles of the ladder.

ALWAYS ensure ladder is positioned with all feet in contact with the ground and the surface is firm and level.

Extension Ladders

ALWAYS extend top of ladder >1.0m beyond the top support point.

ALWAYS lean your ladder at an angle of 1:4 – for each 4m your ladder is extended, it should be 1.0m out from the top support point.

ALWAYS ensure that the ladder feet and top support point are secure and cannot slip.

Accessories

ALWAYS read and follow usage directions.

Fibreglass Care

Over time and with use, fibreglass may deteriorate to a point where fibres come loose. This issue can be addressed by applying a coating of polyurethane or acrylic lacquer over loose fibres.

Single Sided Step Ladders





Garden Ladder

Material: Aluminium 150kg Industrial

> Height: 1.8m (6ft) Weight: 7.6kg Code: GL006-I

Features: Lightweight Adjustable rear leg Rear swivel foot with ground spike







Single Sided Step Ladders

Double Sided Step Ladders









Material: Aluminium 180kg Industrial

> Height: 0.9m (3ft) Weight: 6kg Code: SM003-HD

Height: 1.2m (4ft) Weight: 7.3kg Code: SM004-HD

Height: 1.8m (6ft) Weight: 11.8kg Code: SM006-HD

Height: 2.4m (8ft) Weight: 16.8kg Code: SM008-HD

Height: 3.0m (10ft) Weight: 22.5kg Code: SM010-HD

Height: 3.6m (12ft) Weight: 28.5kg Code: SM012-HD

Double Sided Step Ladders

Pro-Lite® Double Sided Ladder



Material: Fibreglass 150kg Industrial

Height: 3 Step (0.85m) Weight: 5kg Code: FSM003-PRO

Height: 4 Step (1.15m) Weight: 6.1kg Code: FSM004-PRO

Height: 6 Step (1.74m) Weight: 9.1kg Code: FSM006-PRO

Height: 8 Step (2.35m)



INSULATED

Heavy Duty Double Sided Ladder



Material: Fibreglass 180kg Industrial

Height: 0.9m (3ft) Weight: 7.2kg Code: FSM003-HD

Height: 1.2m (4ft) Weight: 9.2kg Code: FSM004-HD

Height: 1.8m (6ft) Weight: 13.6kg Code: FSM006-HD

Height: 2.4m (8ft) Weight: 18.1kg Code: FSM008-HD

Height: 3.0m (10ft) Weight: 23.3kg Code: FSM010-HD

Height: 3.6m (12ft) Weight: 30.2kg Code: FSM012-HD

Complies to AS1892.1 Stabiliser ready (excludes FSM003-HD and FSM004-HD) Patented resin bracing system



Dual Purpose Ladders









Weight: 10kg

Weight: 16.8kg

Weight: 19.2kg

Features:

Stabiliser ready









Heavy Duty Platform Ladder

GOODLAN INDUSTRIAL 180KG Material: Aluminium 180kg Industrial

Platform Height: 0.6m (2ft) Weight: 12.8kg Code: PL002-HD

Platform Height: 0.9m (3ft) Weight: 14kg Code: PL003-HD

Platform Height: 1.2m (4ft) Weight: 17.1kg Code: PL004-HD

Platform Height: 1.5m (5ft) Weight: 19.4kg Code: PL005-HD

Platform Height: 1.8m (6ft) Weight: 21.2kg Code: PL006-HD

Platform Height: 2.4m (8ft) Weight: 26.5kg Code: PL008-HD

Platform Height: 3.0m (10ft) Weight: 31.5kg Code: PL010-HD

Platform Height: 3.6m (12ft) Weight: 36.4kg Code: PL012-HD

> Features: Complies to AS1892.1 900mm handrail meets OH&S requirements



Factory fitted wheel kit brackets. Wheel kits sold separately.



Available accessories (sold separately): Handrail work tray (PL-TRAY) and Safety Booms (PL-BOOM2 and PL-BOOM3).

Compact Adjustable Platform Ladder



Material: Aluminium 150kg Industrial

Platform Height: 1.15-1.75m Weight: 15.8kg Code: RPL0406-I

Platform Height: 1.45-2.35m Weight: 19.6kg Code: RPL0508-I

> Features: Plastic tool tray



Compatible with Safety Boom PL-BOOM2 (sold separately). See page 50 for PL-BOOM2.



Heavy Duty Adjustable Platform Ladder



Material: Aluminium 180kg Industrial

Platform Height: 0.9-1.2m Weight: 16kg Code: PL0304-HD

Platform Height: 1.2-1.8m Weight: 18.7kg Code: PL0406-HD

Platform Height: 1.5-2.4m Weight: 23.6kg Code: PL0508-HD





Available accessories (sold separately): Handrail work tray (PL-TRAY) and Safety Booms (PL-BOOM2 and PL-BOOM3).



Pro-Lite® Platform Ladder



Material: Fibreglass 150kg Industrial

Platform Height: 0.85m Weight: 10.7kg Code: FPL003-PRO

Platform Height: 1.14m Weight: 12kg Code: FPL004-PRO

Platform Height: 1.45m Weight: 15.4kg Code: FPL005-PRO

Platform Height: 1.74m Weight: 17.1kg Code: FPL006-PRO

Features: Complies to AS1892.1 Lightweight and easy to carry 900mm handrail meets OH&S requirements Integrated tool organiser in handrail

Compatible with PL-BOOM2 (sold separately)



Compatible with Safety Boom PL-BOOM2 (sold separately).



Heavy Duty Platform Ladder



Material: Fibreglass 180kg Industrial

Platform Height: 0.6m (2ft) Weight: 14.3kg Code: FPL002-HD

Platform Height: 0.9m (3ft) Weight: 15.9kg Code: FPL003-HD

Platform Height: 1.2m (4ft) Weight: 17.9kg Code: FPL004-HD

Platform Height: 1.5m (5ft) Weight: 22kg Code: FPL005-HD

Platform Height: 1.8m (6ft) Weight: 24kg Code: FPL006-HD

Platform Height: 2.4m (8ft) Weight: 29.8kg Code: FPL008-HD

> Features: Complies to AS1892.1 900mm handrail meets OH&S requirements



Factory fitted wheel kit brackets (except FPL008-HD). Wheel kits sold separately.



Available accessories (sold separately): Handrail work tray (PL-TRAY) and Safety Booms (PL-BOOM2 and PL-BOOM3).



Single Builders Ladders

Adjustable Platform Ladder

Material: Fibreglass 150kg Industrial

Platform Height: 1.2-1.8m Height from platform to handrail: 0.9m Weight: 25.6kg Code: FPL0406-I

Platform Height: 1.5-2.4m Height from platform to handrail:0.9m Weight: 29kg Code: FPL0508-I





Available accessories (sold separately): Handrail work tray (PL-TRAY) and Safety Booms (PL-BOOM2 and PL-BOOM3).



Single Builders Ladders

Material: Aluminium 140kg Industrial

> Height: 2.4m (8ft) Weight: 5.7kg Code: SBL008-I

Height: 2.7m (9ft) Weight: 6.4kg Code: SBL009-I

Height: 3.1m (10ft) Weight: 7.4kg Code: SBL010-I

Height: 3.7m (12ft) Weight: 8.3kg Code: SBL012-I

Height: 4.3m (14ft) Weight: 9.9kg Code: SBL014-I

Height: 4.6m (15ft) Weight: 10.2kg Code: SBL015-I

Height: 4.9m (16ft) Weight: 11.6kg Code: SBL016-I

Height: 5.5m (18ft) Weight: 12.1kg Code: SBL018-I

Height: 6.1m (20ft) Weight: 13.4kg Code: SBL020-I

Features: Strong roll-locked D-rungs Anti-slip treads Non-marking feet

Protect walls with Gorilla Bumpers (see page 51 for more details) Note: Optional hooks for use with scaffold.

Ladder Leveller ready (see page 49).

Extension Ladders





Extension Ladder

Material: Fibreglass 130kg Industrial

Height: 2.4-3.9m (8-13ft) Weight: 17kg Code: FEL8/13-I

Height: 3.1-5.3m (10-17ft) Weight: 20.1kg Code: FEL10/17-I

Height: 3.7-6.5m (12-21ft) Weight: 23.4kg Code: FEL12/21-I

Features: Roll-locked D-rungs Single-rope pull and release Stabiliser ready

Protect walls with Gorilla Bumpers (see page 51 for more details).

Note: Fibreglass extension ladders now also available with factory fitted Pole Mount (see below).

Ladder Leveller ready (see page 49).





Gorilla Pole Mount

Material: Metal/ rubberised plastic

Code: POLEM-01

Features: Fits Gorilla fibreglass extension ladders Pivoting brace, restraining strap and rubberised pole grip

Can be supplied factory fitted with extension ladder.

Order Picking Ladders



Order Picking Ladder

Material: Aluminium 200kg Industrial

Height to platform: 0.9m Weight: 30.3kg Code: GOP03

Height to platform: 1.2m Weight: 34.6kg Code: GOP04

Height to platform: 1.5m Weight: 38.2kg Code: GOP05

Height to platform: 2.1m Weight: 46.2kg Code: GOP07 Features: Large platform surface: 600mm (wide) x 585mm (deep) Patented raise/lower mechanism provides effortless and reliable activation



GOP-HANDRAIL Fits all sizes of GOP order picker. Included fixings. Fits to Order Pickers to allow step through access. Ideal to access truck trays and elevated walk ways.

General Purpose Ladders

Mighty® Multi-purpose Ladder

Material: Aluminium 120kg Industrial

A-frame heights: 0.9-1.5m Extension heights: 2.1-3.3m Weight: 15kg Code: MM11-I

A-frame heights: 1.2-2.1m Extension heights: 2.7-4.5m Weight: 17.5kg Code: MM15-I

A-frame heights: 1.7-2.8m Extension heights: 3.3-5.8m Weight: 20.2kg Code: MM19-I

Features: Multi-purpose ladder (4 configurations) • Trestle • A-frame • Extension • Uneven A-frame (stairway) Factory fitted wheels

Ladder Leveller ready (see page 49).



Mighty® Heavy Duty Extension Plank

Material: Aluminium 260kg Industrial

Length: 2.4-3.9m (8-13ft) Width: 295mm Weight: 13.8kg Code: PLANK01-C

Features: Aluminium box section Closes up for easy transport Telescopic

> 260kg working load limit (WLL) @ 1.5m spans





General Purpose Ladders







Gorilla Safety Step Wheel Kit

Code: GOR-STEPWK

Features


Allows for easy transportation of GOR-STEP Simply place GOR-STEP over wheel kit Castor wheels are spring loaded and retract when GOR-STEP is in use





General Purpose Ladders

Gorilla 2 Step Safety Stair 150kg Industrial Top Step Height: 500mm Code: GOR-2STEP Features: Non-slip rubber feet High grip tape



Work Platforms





Scaffold

Heavy Duty Extendable Work Platform

Material: Aluminium 150kg Industrial

Height: 0.5m-0.9m (1.6-3ft) Length: 1.6m-2.1m (5.2-7ft) Platform Width: 295mm Weight: 15.9kg Code: MW010-I

> Features: Extendable platform area Positive locks Multi-heights



The Gorilla Expanda Scaff has been specially designed by one of Australia's leading scaffolding companies (No Bolt) to incorporate strength, durability and most importantly flexibility. The Expanda Scaff incorporates a unique design that allows you to expand up and out by adding additional free standing core packs, making it incredibly versatile.

The Expanda Scaff system is also Workcover design registered.



 $\label{eq:core_pack} \mbox{ Core Pack} \ (\mbox{GS-01}) \ \mbox{contains: } 4 \ x \ \mbox{horizontals, } 1 \ x \ \mbox{diagonal} \ \mbox{brace, } 2 \ x \ \mbox{end frames, } 1 \ x \ \mbox{trapdoor tray platform and } 4 \ x \ \mbox{150mm} \ \mbox{(6") locking castors.}$

Riser Pack (GS-01A) contains: 4 x horizontals, 1 x diagonal brace and 2 x end frames.

Outrigger Pack (GS-02) contains: 4 x outrigger legs.

Configuration Guide (single width)					
Core Pack Qty (GS-01)	1	1	1		
Riser Pack Qty (GS-01A)	0	1	2		
Outriggers required	No	Yes	Yes		
Max, Safe Platform Height	0.9m	2.1m	3.7m		
Working Height*	2.4-2.7m	3.6-3.9m	5.2-5.5m		

 Working heights are measured in front of user in the space between their chest and shoulders. These heights are intended as a guide only as the height of the user will greatly vary these measurements.





ADDITIONAL ACCESSORIES

Joiner Pack (GS-03) contains: 1 x filler plank and 4 x joiner clamps. Used when joining 2 or more scaffold towers together side by side (with platforms at same level). Additional clamps may be required, depending on configuration.

Kick Boards (GS-KICKB) contains: 4 x kick boards.

Adjustable Castors (GS-S879B): 200mm diameter wheel. For use where scaffold is erected on a surface that isn't level.

Scaffold Ladders:

ASL-009-I ladder to suit 2 high configuration. ASL-015-I ladder to suit 3 high configuration.

Gorilla Uni-Props

Gorilla Uni-Props are traditional formwork prop supports with a hydraulic power option.

The hydraulic pack delivers safe and controlled power to make setup simple. Gorilla Uni-Prop Formwork Props can be used with or without the hydraulic pack.

Tested and comply with AS3610
8mm x 150mm sq. top and base plates
One piece outer tube with threaded section
Galvanised top and bottom pin assemblies
Laser cut ram access chamber
Laser cut ram movement slot
4mm steel tubing
48mm diameter inner tube
60mm diameter outer tube
Powder coated finish
Cast collar and collar handle
Welded ram locator boss
Compatible with all
standard accessories

Note: The hydraulic pack is only suitable for use with Gorilla Uni-Prop formwork props.



Scan QR code on your smartphone to watch the Gorilla Uni-Prop video

SAFE WORKING LOADS					
	Height	Hydraulic	Mechanical		
PROP-UP-MINI	Closed: 1140mm	Max 2000kg / 20.0kN	Max 3930kg / 39.3kN		
PROP-UP-MINI	Open: 1780mm	Max 2000kg / 20.0kN	Max 2010kg / 20.1kN		
PROP-UP-MIDI	Closed: 1725mm	Max 2000kg / 20.0kN	Max 3800kg / 38.0kN		
	Open: 2950mm	Max 1340kg / 13.4kN	Max 1340kg / 13.4kN		
PROP-UP-MAXI	Closed: 2105mm	Max 2000kg / 20.0kN	Max 2150kg / 21.5kN		
PROF-UF-MAXI	Open: 3330mm	Max 1130kg / 11.3kN	Max 1130kg / 11.3kN		
PROP-UP-HA20 Hydraulic Assemb	ly	Max Capacity de-rated to 2000kg			

Formwork Props

Features: 4 sizes available

Material: Galvanised Steel

Gorilla Formwork Props are a must for almost every building site. The adjustable load bearing product is ideal for supporting ceilings, walls and other structures.



SAFE WORKING LOADS						
Closed WLL Open WLL Weig						
PROP-069 (0.69-1.16m)	2900kg	2200kg	10.4kg			
PROP-120 (1.2-1.8m)	2600kg	2300kg	13.5kg			
PROP-198 (1.98-3.35m)	3000kg	1400kg	20kg			
PROP-230 (2.3-3.8m)	2600kg	1300kg	23kg			

FORMWORK PROP ACCESSORIES

Wall Support Bracket

Code: PROP-WSB

WLL: 290kg per bracket* Weight: 6.5kg



The Gorilla wall support fits onto height adjustable formwork props. The blade of the wall support if then inserted into a raked mortar joint and supported using an adjustable height formwork prop while you remove the masonry beneath.

* WLL is based on a max prop extension of 3.0m and a max distance of 305mm between the prop centreline and the centreline of the supported 110mm wide brickwork.



Formwork Prop Tripod

Code: PROP-TRI



The Gorilla prop tripod is a portable 3 legged device used to support the formwork prop in a vertical position while being secured into place. The tripod is designed as a temporary support and can be removed once the formwork prop is securely in place.







WEIGHT CAPACITIES



GOR-MP-040 GOR-MP-060 GOR-MP-095 GOR-MP-155 GOR-MP-200

	Size	Weight	
GOR-MP-040	40-60cm	1.1kg	
GOR-MP-060	60-100cm	1.36kg	
GOR-MP-095	95-170cm	1.81kg	
GOR-MP-155	155-290cm	2.61kg	
GOR-MP-200	200-375cm	3.18kg	

HOW TO USE







Working load limits (WLL's) are valid only when multi-props are set up and used correctly.

Height Safety

MULTI-PROP ACCESSORIES

Non-Slip Pad

Code: GOR-MP-PD35

The non-slip pad is an easy to install accessory that attaches to the rubber pads of Gorilla PIHER multi-prop.

Compatible with all Gorilla PIHER multi-props Stainless steel springs Rubber anti-slip surface Pad size 6x35cm





MULTI-PROP ACCESSORIES

Multi-Prop Arm+

Code: GOR-MP-ARM

Simply unscrew the top pad from your Gorilla Multi-Prop and attach the ARM+ accessory for easy single hand adjustment.

Compatible with all Gorilla PIHER multi-props 100kg load capacity Provides an additional 18cm adjustment of your multi-prop









Elevated Work Platform Harness Kit

Code: GH101

Suitable for use with scissor lifts, cherry pickers, boom lifts and forklift cages with an approved anchor point.





Height Safety



Adjustable Fall Arrest Lanyard

Code: GH-01B

Features: 1.3-1.7m working length Energy absorbing design Double action snap hooks For use with a full body harness Certified to AS/NZS 1891.1



Adjustable Single Lanyard with Scaffold Hook

Code: GH-01BST

Features: 1.3-1.8m working length Energy absorbing design Double action snap hooks Scaffold hook (54mm gate opening) For use with a full body harness Certified to AS/NZS 1891.1



Fall Arrest Line 15M

Code: GH-01D

Features:

13mm kemmantle anchorage line with Type 1 fall arrest device Includes self locking double action snap hook and static rope adjuster Locks instantly in the event of a fall For use with a full body harness and approved lanyard Complies with AS4142.



Height Safety

Screwgate Carabiner

Code: GH-01E

Used to link a harness to a flexible or fixed anchorage system through an appropriate lanyard or energy absorbing system WLL: 20kN



Height Safety Helmet

Code: GSH-01

Features: Type 1 ABS plastic safety helmet Adjustable chin strap Certified to AS-NZS 1801:1997 Size range: 52-63cm





Self-Retracting Lifeline 15M

Code: GH-SRLS150

Features:
4mm galvanised steel cable.
For use with an approved
full body safety harness.
Double action snap hook for
attachment to safety harnes.
Screwgate carabiner for attachment
to approved anchor point.
Conforms to AS/NZS 1891.3
(Clause 1.6 EN360:2002)



Self-Retracting Lifeline 2.5M

Code: GH-SRLW25

Features:
For use with an approved full body safety harness.
Energy absorbing design.
Locks instantly in the event of a fall.
Double action snap hook for attachment to safety harness.
Auto-locking carabiner for connecting to approved anchor point.
Conforms to AS 1891.3
(Clause 1.6 EN360:2002)
Max. user weight 100kg



Ladder Spare Part Packs



















SP-FEET-PL

Suits Gorilla Models: PL002-I, PL003-I, PL004-I, PL005-I, PL006-I, PL008-I, M006-I, M008-I

SP-FEET-FPL

Suits Gorilla Models: FPL002-I, FPL003-I, FPL004-I, FPL005-I, FPL006-I, FM006-I, FM008-I, FM010-I

SP-FEET-SMC

Suits Gorilla Models: SM003-C, SM006-C, SM008-C

SP-FEET-SM3I

Suits Gorilla Models: SM003-I, SM004-I

SP-FEET-SM6I

Suits Gorilla Models: SM006-I, SM008-I, SM010-I, SM012-I

SP-FEET-DMI

Suits Gorilla Models: DM006-I, DM007-I, DM008-I

SP-FEET-ELIH

Suits Gorilla Models: EL8/13-IH, EL10/17-IH, EL12/21-IH, EL14/25-IH

SP-FEET-FELI

Suits Gorilla Models: FEL8/13-I, FEL10/17-I, FEL12/21-I

SP-FEET-MM

Suits Gorilla Models: MM11-I, MM15-I, MM19-I

SP-ROPEKIT-EL

Suits all Gorilla Industrial rope-pull Extension ladders.

Accessories

Ladder Tread Grip Tape - 5M Roll

Code: GLT-05M


Improve the slip resistance of your ladder treads with Gorilla's ladder tread grip tape

Feature

Roll width 95mm suits ladders with 75mm tread width Scoring marks for easy application over ladder treads P5 slip resistance rating (tested to AS4586:2013) Strong self-adhesive backing







Material: Steel





Features:
Suitable for permanent roof
or wall mount installation.
Multiple fixing slots to enable
easy installation structure.
Includes tie-off points and
cable to secure your ladder.
Prevents sideways ladder movement.
Mounting hardware/fixings not included.



Accessories






Ladder Leveller

130kg Industrial

Code: GLL-01

Features: Increase leg length by up to 25cm Includes 2 x base units, 1 x Ladder Leveller Use on single builders, extension and Mighty ladders



Code: GLL-02 Additional Base Unit Twin Pack



Suitable for Gorilla extension ladders, single builders ladders, adjustable platform ladders and mighty ladders.



Accessories

Gorilla Safety Boom

Material: Metal/rubberised plastic

Code: PL-BOOM2

Suits Gorilla Pro-Lite® and Heavy Duty platform ladders
Provides a safe guide to platform work area
Simple open and close operation
Quick release boom removal for easy transportation
Suitable for use on worksites



Heavy Duty Safety Boom

Code: PL-BOOM3

Feature

Heavy duty design suitable for use on worksites Suits all Gorilla Industrial platform ladders featuring aluminium handrails





Gorilla Tie Down Straps

Code: GOR-TIEDOWN

Length: 2m

Features: Twin pack 150kg lashing capacity Spring-lock buckle High strength webbing






Apparel

Extension Ladder Bubble Level

Code: GOR-ELBL

Features:

Shows when the extension ladder is at the correct 15° angle in use. Suits all Gorilla D-rung extension ladders and single builders ladders.







Paint Tin Hook

Code: GOR-PTH

Features: Suitable for extension ladders with D-Shaped Rungs. Suits paint tins up to 4L capacity. Can only be used on right side of ladder.





Ladder Hanger

Code: GOR-LH

Features:

Neatly stores step ladders and multi purpose ladders. Sturdy, lightweight construction. Suitable for garages, sheds, workshops, storage cupboards and more. Max. Load 15kg





Reversible Safety Vest

Tough, hard wearing outer, Polyester fleece inner

Small – Code: GSV-01S Medium – Code: GSV-01M Large – Code: GSV-01L Extra Large – Code: GSV-01XL

> Features: High visibility Conforms to AS/NZS 4602.1 Day use only Reversible fleece inner





Gorilla Safety T-Shirt

High visibility fluorescent fabric Breathable microfibre

Medium – Code: GST-01M Large – Code: GST-01L Extra Large – Code: GST-01XL

> Features: High visibility Conforms to AS/NZS 4602.1 Day use only



Gorilla Safety Gloves

Code: GSG-01

General purpose protection

Features: Superior grip palm and fingers Velcro wrist strap Hi-Vis reflector tape Extreme flex knuckle Breathable fabric

Available in Medium, Large and Extra Large



Cooling Shirt

Features: Comfortable Polyester material Wear on its own or over a t-shirt Provides cooling relief for up to 4 hours















ACTIVATE COOLING TECHNOLOGY



STEP 1 Submerge in cold water for 2-3 minutes



STEP 2
Gently squeeze
out excess water



STEP 3
Your cooling shirt is ready to wear



Size	Code	Neck	Chest	Back	Length	Shoulder	Hem
		A (cm)	B (cm)	C (cm)	D (cm)	E (cm)	F (cm)
S	GCV-BK-SML	20	54	38.5	72	42.8	55.5
М	GCV-BK-MED	20	57	41	74	45.5	56
L	GCV-BK-LRG	21	60	43.5	78	48.5	60.5
XL	GCV-BK-XLG	21	63.5	45.5	80.5	51.5	65

Note: Shirt will be damp once activated

Fluro Cooling Vest

Features: Comfortable Polyester material Wear on its own or over a t-shirt Provides cooling relief for up to 4 hours











ACTIVATE COOLING TECHNOLOGY




STEP 1 Submerge in cold water for 2-3 minutes



STEP 2 Gently squeeze out excess water



STEP 3
Your cooling vest is ready to wear



Size	Code	Neck	Chest	Back	Length	Shoulder	Hem
		A (cm)	B (cm)	C (cm)	D (cm)	E (cm)	F (cm)
S	GCV-HV-SML	19.5	54.5	37.5	72	42.5	54
М	GCV-HV-MED	20.5	57	41.5	74.5	45.5	55.5
L	GCV-HV-LRG	21	60	43	78	48	59
XL	GCV-HV-XLG	22	64	45.5	80	51.5	64.5

Note: Vest will be damp once activated



GORILLA LADDERS AUSTRALIA

National Hotline 1300 362 393

National Sales

sales@gorillaladders.com.au

Web

www.gorillaladders.com.au

Head Office

Gorilla Ladders 1/35-45 Bend Road Keysborough VIC 3173





www.gorillaladders.com.au